

40038747 010202







FIG. 1






FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9

State Changes




FIG. 9A




FIG. 10A




FIG. 10B




FIG. 10C




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15

4003347.010203




FIG. 16.




FIG. 17




FIG. 18




FIG. 19A




FIG. 19B





FIG. 20

State
Changes



Shunt position
FIG. 20A






FIG. 21


1/P1




F16. 22



F16. 23




F16.24




F16.25

This diagram shows an exploded perspective view of a mechanical assembly. The components are labeled with reference numerals: 2600 (a bracketed group of parts), 2604 (a zigzag-shaped component), 2606 (a long, thin rectangular plate), 2608 (a component with a central slot), 2610 (a component with a central slot), 2612 (a component with a central slot), 2614 (a component with a central slot), 2616 (a component with a central slot), 2618 (a component with a central slot), 2620 (a component with a central slot), 2622 (a component with a central slot), 2624 (a component with a central slot), 2626 (a component with a central slot), 2628 (a component with a central slot), 2630 (a component with a central slot), 2632 (a component with a central slot), 2634 (a component with a central slot), 2636 (a component with a central slot), 2638 (a component with a central slot), 2640 (a component with a central slot), 2642 (a component with a central slot), 2644 (a component with a central slot), 2646 (a component with a central slot), 2648 (a component with a central slot), 2650 (a component with a central slot), 2652 (a component with a central slot), 2654 (a component with a central slot), 2656 (a component with a central slot), 2658 (a component with a central slot), 2660 (a component with a central slot), 2662 (a component with a central slot), 2664 (a component with a central slot), 2666 (a component with a central slot), 2668 (a component with a central slot), 2670 (a component with a central slot), 2672 (a component with a central slot), 2674 (a component with a central slot), 2676 (a component with a central slot), 2678 (a component with a central slot), 2680 (a component with a central slot), 2682 (a component with a central slot), 2684 (a component with a central slot), 2686 (a component with a central slot), 2688 (a component with a central slot), 2690 (a component with a central slot), 2692 (a component with a central slot), 2694 (a component with a central slot), 2696 (a component with a central slot), 2698 (a component with a central slot), 2700 (a component with a central slot).

F16.26



F16.27



F16.28 B